

Rapid Disinfectant Cleaner RTU

Fast acting, broad spectrum disinfectant with enhanced cleaning power for a wide range of surfaces. This 3 in 1 product simplifies the overall cleaning process and reduces the total number of cleaning products required.



Listed in the ARTG, ARTG No: 384819



Kills COVID-19
Virus in 10 seconds



Kills SARS-CoV-2 (COVID-19 Virus)



Kills 30 Viruses & Bacteria*



Kills 99.99% of germs



Use with Electrostatic Spraying devices



Fragrance-free



No rinse on non-food contact surfaces



Non streaking



3-in-1 Disinfectant, Hard Surface Cleaner & Glass Cleaner



Spray & pour applications



PPE free

CLEANER. SAFER. HEALTHIER



ARTG No: 384819

*refer to label for product claims



Rapid Disinfectant Cleaner RTU is listed in the ARTG and has been proven to kill the following Bacteria and Viruses:

FOR SANITISING SOFT SURFACES:

Spot-test in an inconspicuous location before application.

- 1. Visibly soiled areas must be cleaned prior to sanitising. Using a trigger sprayer, spot treat by spraying 15-20cm from the surface until fabric is wet.
- 2. Allow surface to remain wet for 5 minutes.
- 3. Allow to air dry, or remove solution with a cloth, sponge, or vacuum pickup.



Staphylococcus aureus Klebsiella aerogenes



FOR USE AS A CLEANER, DISINFECTANT & VIRUCIDE ON HARD, NON-POROUS NON-FOOD CONTACT SURFACES. APPLY UNDILUTED USING A CLOTH, TRIGGER SPRAYER OR ELECTROSTATIC SPRAYER:

Surfaces must be pre-cleaned prior to disinfection. Do not use on glassware, dishes, or silverware. When using an Electrostatic sprayer, apply approximately 15-30 cm from the surface.

- 1. When using a trigger sprayer, apply approximately 15-20 cm from the surface; making sure to wet the surface thoroughly. Or apply solution directly onto the surface with a wipe, mop, cloth or sponge
- 2. Allow surface to remain wet for the contact time indicated in the tables below.
- 3. Air dry or remove solution with a wipe, mop, cloth, sponge, squeegee, or vacuum pickup.

VIRUCIDAL			
In 5 minutes:	In 3	0 seconds:	In 10 seconds
Adenovirus Type 5	Influenza A (H1N1)	Influenza A (H3N2)	SARS-CoV-2 (COVID-19)
Human Coronavirus	Norovirus (Feline Calicivirus)	Influenza B	
Vaccinia Virus (Pox Virus)	Rhinovirus Type 37	Murine Norovirus (Strain S99)	
	Canine Distemper Virus	Respiratory Syncytial Virus	
	Poliovirus (Chat Strain)	Rotavirus (Strain WA)	

BACTERCIDAL In 5 minutes: In 3 minutes: Bordetella pertussis (Whooping Cough) Klebsiella pneumoniae Staphylococcus aureus Proteus mirabilis Escherichia coli (0157:H7) Bordetella bronchiseptica (Kennel Cough) Klebsiella aerogenes Pseudomonas aeruginosa Serratia marcescens Listeria monocytogenes Shigella dysenteriae Streptococcus pyogenes Klebsiella pneumoniae Enterococcus faecalis (VRE) (Carbapenemase producer) (KPC) Staphylococcus aureus (MRSA) Salmonella enterica typhi



Storage & Disposal

Store this product in a cool, dry area, away from direct sunlight and heat. Waste product should be disposed of according to local, state and federal regulations.

Safety Information

Do not mix with detergents or other chemicals.

Not to be used on medical devices or other therapeutic goods.

If being used on food contact surfaces, rinse surface with potable water prior to reuse.

Wash hands thoroughly after handling. Get medical advice/attention or call a POISON CENTER

(AUS: 13 11 26 / NZ: 0800 764 766) if you feel unwell.

For additional information, please refer to the Safety Data Sheet.

ALWAYS READ THE LABEL AND FOLLOW THE DIRECTIONS FOR USE.

Pack Size & Code

6 x 750mL 3026523 2 x 5L 3026524

Scan the QR code below to view the Digital Safety Data Sheet (SDS)





Australia

New Zealand





2 Drake Avenue Macquarie Park NSW, 2113 T: 02 8870 8100

NEW ZEALAND

2 Daniel Place Te Rapa Hamilton, 3241 T: 0508 732 733

FIJI

Lot 1 W&G Industrial Estate, Marine Drive Wailekutu, Lami T: (+679) 3361 744