

#### Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	:	SURESHOT LAUNDRY DETERGENT DISINFECTANT
Other means of identification	:	Not applicable.
Recommended use	:	Laundry Disinfectant
Restrictions on use	:	Reserved for industrial and professional use.
Product dilution information	:	Product is sold ready to use.
Company	:	ECOLAB PTY LTD 2 Drake Avenue Macquarie Park, NSW Australia 2113 1 800 022 002
Emergency telephone number	:	1800 205 506, +64 7 958 2372
Issuing date	:	16.11.2015

# Section: 2. HAZARDS IDENTIFICATION

#### **GHS Classification**

Acute toxicity (Oral) Skin corrosion/irritation Serious eye damage/eye irritation	: Category 4 : Category 1B : Category 1
GHS Label element	
Hazard pictograms	
Signal Word	: Danger
Hazard Statements	: Harmful if swallowed. Causes severe skin burns and eye damage.
Precautionary Statements	<ul> <li>Prevention: Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.</li> <li>Response: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.</li> </ul>
	Storage:

Store locked up.

#### Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards	:	None known.
Section: 3. COMPOSITION/IN	IFC	DRMATION ON INGREDIENTS
Pure substance/mixture	:	Mixture
<b>Chemical Name</b> Fattyalcohol ethoxylates > 5E0 alcohols, c12-16, ethoxylated 2-butoxyethanol Quaternary ammonium compo Benzalkonium chloride ethanol		$\begin{array}{ccc} \textbf{CAS-No.} & \textbf{Concentration: (\%)} \\ 68131-39-5 & 30 - 60 \\ 68551-12-2 & 10 - 30 \\ 111-76-2 & 10 - 30 \\ 111-76-2 & 5 - 10 \\ 68424-95-3 & 5 - 10 \\ 68424-85-1 & 5 - 10 \\ 64-17-5 & 1 - 5 \end{array}$
Section: 4. FIRST AID MEAS	UR	ES
In case of eye contact	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
In case of skin contact	:	Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
If swallowed	:	Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
		Contact the Poison's Information Centre (eg Australia 13 1126; New Zealand 0800 764 766).
If inhaled	:	Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.
Protection of first-aiders	:	If potential for exposure exists refer to Section 8 for specific personal protective equipment.
Notes to physician	:	Treat symptomatically.
Most important symptoms and effects, both acute and delayed	:	See Section 11 for more detailed information on health effects and symptoms.
Section: 5. FIREFIGHTING M	EA	SURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	:	None known.
Specific hazards during firefighting	:	Fire Hazard Keep away from heat and sources of ignition. Flash back possible over considerable distance. Exposure to decomposition products may be a hazard to health.

	Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Hazardous combustion products	<ul> <li>Decomposition products may include the following materials: Carbon oxides metal oxides</li> </ul>
Special protective equipment for firefighters	In case of fire, wear a full face positive-pressure self contained breathing apparatus and protective suit.
Specific extinguishing methods	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.
Hazchem Code	2X
Section: 6. ACCIDENTAL REL	ASE MEASURES
Personal precautions, protective equipment and emergency procedures	Ensure adequate ventilation. Remove all sources of ignition. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.
Section: 7. HANDLING AND S	ORAGE
Advice on safe handling	Do not ingest. Do not breathe dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Keep away from fire, sparks and heated surfaces. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Wash hands thoroughly after handling. Do not get in eyes, on skin, or on clothing.
Conditions for safe storage	Keep away from heat and sources of ignition. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly

Storage temperature : 0 °C to 40 °C

# Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Components with workplace control parameters

Components	CAS-No.	Form of	Permissible	Basis
------------	---------	---------	-------------	-------

closed. Store in suitable labeled containers.

		exposure	concentration	
2-butoxyethanol	111-76-2	TWA	20 ppm 96.9 mg/m3	AU OEL
		VLE	50 ppm 242 mg/m3	AU OEL
ethanol	64-17-5	TWA	1,000 ppm 1,880 mg/m3	AU OEL

Engineering measures	:	Effective exhaust ventilation system. Maintain air concentrations
		below occupational exposure standards.

# Personal protective equipment

Eye protection	:	Safety goggles Face-shield
Hand protection	:	Wear the following personal protective equipment: Standard glove type. PVC Impervious gloves
Skin protection	:	Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing
Respiratory protection	:	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

# Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: clear, light yellow
Odour	: slight
рН	: 7.5 - 9.5, 100 %
Flash point	: 59 °C closed cup, Does not sustain combustion.
Odour Threshold	: no data available
Melting point/freezing point	: no data available
Initial boiling point and boiling range	: no data available
Evaporation rate	: no data available
Flammability (solid, gas)	: no data available
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Vapour pressure	: no data available
Relative vapour density	: no data available
Relative density	: 0.925 - 0.975

Water solubility	: soluble
Solubility in other solvents	: no data available
Partition coefficient: n- octanol/water	: no data available
Auto-ignition temperature	: no data available
Thermal decomposition	: no data available
Viscosity, kinematic	: no data available
Explosive properties	: no data available
Oxidizing properties	: no data available
Molecular weight	: no data available
VOC	: no data available

# Section: 10. STABILITY AND REACTIVITY

Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Acids
Hazardous decomposition products	:	Decomposition products may include the following materials: Carbon oxides metal oxides

# Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of	:	Inhalation, Eye contact, Skin contact
exposure		

## **Potential Health Effects**

Eyes	:	Causes serious eye damage.
Skin	:	Causes severe skin burns.
Ingestion	:	Harmful if swallowed. Causes digestive tract burns.
Inhalation	:	May cause nose, throat, and lung irritation.
Chronic Exposure	:	Health injuries are not known or expected under normal use.
Experience with human exposure		
Eye contact	:	Redness, Pain, Corrosion

Eye contact	: Redness, Pain, Corrosion
Skin contact	: Redness, Pain, Corrosion

- Ingestion : Corrosion, Abdominal pain
- Inhalation : Respiratory irritation, Cough

# Toxicity

g

# Section: 12. ECOLOGICAL INFORMATION

# Ecotoxicity

Environmental Effects	: This product has no known ecotoxicological effects.
Product	
Toxicity to fish	: no data available
Toxicity to daphnia and other aquatic invertebrates	: no data available
Toxicity to algae	: no data available
Components	
Toxicity to fish	<ul> <li>Fattyalcohol ethoxylates &gt; 5EO</li> <li>96 h LC50 Pimephales promelas (fathead minnow): 1.4 mg/l</li> </ul>
	alcohols, c12-16, ethoxylated 96 h LC50 Fish: 1.5 mg/l
	2-butoxyethanol 96 h LC50: 1,474 mg/l
	Quaternary ammonium compound. 96 h LC50 Fish: 1 mg/l
	ethanol 96 h LC50 Fish: 11,000 mg/l
Components	
Toxicity to daphnia and other aquatic invertebrates	: 2-butoxyethanol 48 h EC50: 690 mg/l
	Benzalkonium chloride

48 h EC50: 0.0059 mg/l

#### Components

Toxicity to algae

: 2-butoxyethanol 72 h EC50: 911 mg/l

#### Persistence and degradability

no data available

#### **Bioaccumulative potential**

no data available

## Mobility in soil

no data available

#### Other adverse effects

no data available

Section: 13. DISPOSAL CO	NSIDERATIONS
Disposal methods	: Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
Disposal considerations	: Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re- use empty containers. Dispose of in accordance with local, state, and federal regulations.

## Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ADG) UN number Description of the goods Class Packing group Hazchem Code Environmentally hazardous	<ul> <li>1760</li> <li>CORROSIVE LIQUID, N.O.S. (quaternary ammonium compound)</li> <li>8</li> <li>III</li> <li>2X</li> <li>No</li> </ul>	J)
Sea transport (IMDG/IMO) UN number Description of the goods Class Packing group Marine pollutant	<ul> <li>1760</li> <li>CORROSIVE LIQUID, N.O.S. (quaternary ammonium compound)</li> <li>8</li> <li>III</li> <li>No</li> </ul>	J)

## Section: 15. REGULATORY INFORMATION

## National regulatory information

Standard for the Uniform : Schedule 6 Scheduling of Medicines and Poisons

## The components of this product are reported in the following inventories:

## United States TSCA Inventory :

On TSCA Inventory

#### Canadian Domestic Substances List (DSL) :

This product contains the following components listed on the Canadian NDSL. All other components are on the Canadian DSL.

#### Australia. Industrial Chemical (Notification and Assessment) Act :

On the inventory, or in compliance with the inventory

## New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand :

On the inventory, or in compliance with the inventory

# Japan. ENCS - Existing and New Chemical Substances Inventory : not determined

# Japan. ISHL - Inventory of Chemical Substances (METI) : not determined

not determined

## Korea. Korean Existing Chemicals Inventory (KECI) :

On the inventory, or in compliance with the inventory

## Philippines Inventory of Chemicals and Chemical Substances (PICCS) :

On the inventory, or in compliance with the inventory

#### China Inventory of Existing Chemical Substances :

On the inventory, or in compliance with the inventory

## Section: 16. OTHER INFORMATION

Sources of key data used to compile the Safety Data Sheet

Globally Harmonized System of Classification and Labelling of Chemicals (GHS) IARC: (International Agency for Research on Cancer) US. National Toxicology Program (NTP) Report on Carcinogens ECHA List of Publishable Substances Registered EU HPVCs (High Production Volume Chemicals)

Issuing date	:	16.11.2015
Date of first issue	:	16.11.2015
version	:	1.0
Prepared by	:	Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.