

CLEANSHOT STAINLESS STEEL POLISH
Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : CLEANSHOT STAINLESS STEEL POLISH

Other means of identification : Not applicable.

Recommended use : Metal polish

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : ECOLAB PTY LTD
2 Drake Avenue
Macquarie Park, NSW Australia 2113
1 800 022 002

Emergency telephone number : 1800 205 506, +64 7 958 2372

Issuing date : 28.10.2025

Section: 2. HAZARDS IDENTIFICATION
GHS Classification

Flammable liquids : Category 4

Skin corrosion/irritation : Category 2

Specific target organ toxicity - single exposure : Category 3 (Central Nervous System)

Aspiration hazard : Category 1

GHS Label element

Hazard pictograms :




Signal Word : Danger

Hazard Statements : Combustible liquid
May be fatal if swallowed and enters airways.
Causes skin irritation.
May cause drowsiness or dizziness.

Precautionary Statements : **Prevention:**
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid breathing mist or vapours. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.
Response:
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. IF ON SKIN: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. Do NOT induce vomiting. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before

SAFETY DATA SHEET

CLEANSHOT STAINLESS STEEL POLISH

reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : Do not mix with bleach or other chlorinated products – will cause chlorine gas.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
white mineral oil, petroleum	8042-47-5	30 - 60
naphtha (petroleum), hydrotreated heavy	64742-48-9	30 - 60

Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Get medical attention if irritation develops and persists.

If swallowed : Contact the Poison's Information Centre (eg Australia 13 1126; New Zealand 0800 764 766).

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Aspiration hazard if swallowed - can enter lungs and cause damage. Get medical attention immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Dry chemical
Carbon dioxide (CO₂)

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : High volume water jet

Specific hazards during : Fire Hazard

SAFETY DATA SHEET

CLEANSHOT STAINLESS STEEL POLISH

firefighting	Keep away from heat and sources of ignition. Flash back possible over considerable distance.
Hazardous combustion products	: Decomposition products may include the following materials: Carbon oxides
Special protective equipment for firefighters	: Use personal protective equipment.
Specific extinguishing methods	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.
Hazchem Code	: ●3Z

Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Remove all sources of ignition. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	: Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	: Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Do not flush into surface water or sanitary sewer system.

Section: 7. HANDLING AND STORAGE

Advice on safe handling	: Avoid contact with skin and eyes. Use only with adequate ventilation. Keep away from fire, sparks and heated surfaces. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Wash hands thoroughly after handling. Do not mix with bleach or other chlorinated products – will cause chlorine gas. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).
Conditions for safe storage	: Keep away from heat and sources of ignition. Keep away from oxidizing agents. Keep away from strong bases. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
Storage temperature	: 0 °C to 30 °C

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
white mineral oil, petroleum	8042-47-5	TWA (Mist)	5 mg/m3	AU OEL

SAFETY DATA SHEET

CLEANSHOT STAINLESS STEEL POLISH

naphtha (petroleum), hydrotreated heavy	64742-48-9	TWA	900 mg/m3	AU OEL
--	------------	-----	-----------	--------

Engineering measures : Effective exhaust ventilation system Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Eye protection : Safety goggles
Face-shield

Hand protection : Wear the following personal protective equipment:
Standard glove type.
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

butyl-rubber
Nitrile rubber
Unsupported neoprene

Skin protection : No special protective equipment required.

Respiratory protection : Refer to AS/NZS 1715 and AS/NZS 1716 for selection, use and maintenance of respiratory protective equipment as applicable.

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Organic vapour type

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid
Colour : clear, colourless
Odour : hydrocarbon-like
pH : Not applicable.
Flash point : 90 °C, Sustains combustion
Odour Threshold : no data available
Melting point/freezing point : no data available
Initial boiling point and boiling range : no data available
Evaporation rate : no data available
Flammability (solid, gas) : Not applicable.
Upper explosion limit : no data available
Lower explosion limit : no data available
Vapour pressure : no data available
Relative vapour density : no data available

SAFETY DATA SHEET

CLEANSHOT STAINLESS STEEL POLISH

Relative density	: 0.8 - 0.83
Water solubility	: insoluble
Solubility in other solvents	: no data available
Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: no data available
Thermal decomposition	: no data available
Viscosity, kinematic	: no data available
Explosive properties	: no data available
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: no data available
VOC	: no data available

Section: 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Do not mix with bleach or other chlorinated products – will cause chlorine gas.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: None known.
Hazardous decomposition products	: In the event of fire, see Section 5

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Potential Health Effects

Eyes	: Health injuries are not known or expected under normal use.
Skin	: Causes skin irritation.
Ingestion	: May be fatal if swallowed and enters airways.
Inhalation	: Inhalation may cause central nervous system effects.
Chronic Exposure	: Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact	: No symptoms known or expected.
Skin contact	: Redness, Irritation
Ingestion	: Vomiting

SAFETY DATA SHEET

CLEANSHOT STAINLESS STEEL POLISH

Inhalation : Dizziness, Drowsiness

Toxicity

Product

Acute oral toxicity : no data available

Acute inhalation toxicity : no data available

Acute dermal toxicity : no data available

Skin corrosion/irritation : no data available

Serious eye damage/eye irritation : no data available

Respiratory or skin sensitization : no data available

Carcinogenicity : no data available

Reproductive effects : no data available

Germ cell mutagenicity : no data available

Teratogenicity : no data available

STOT - single exposure : no data available

STOT - repeated exposure : no data available

Aspiration toxicity : no data available

Components

Acute oral toxicity : white mineral oil, petroleum
LD50 rat: > 5,000 mg/kg

naphtha (petroleum), hydrotreated heavy
LD50 rat: > 5,000 mg/kg

Section: 12. ECOLOGICAL INFORMATION

Toxicity

Environmental Effects : Toxic to aquatic life with long lasting effects.

Product

Toxicity to fish : no data available

Toxicity to daphnia and other aquatic invertebrates : no data available

Toxicity to algae : no data available

Components

Toxicity to fish : white mineral oil, petroleum
96 h LC50 Leuciscus idus (Golden orfe): > 1,000 mg/l

Persistence and degradability

Biodegradable

Bioaccumulative potential

no data available

SAFETY DATA SHEET

CLEANSHOT STAINLESS STEEL POLISH

Mobility in soil

no data available

Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

- Disposal methods : Do not contaminate storm water drains, natural waterways or soil with chemical or used container. Flush into sewer with plenty of water. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of contents/container in accordance with local regulations. Dispose of in accordance with local and national regulations.
- Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ADG)

- UN number : 3082
- Description of the goods : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (naphtha (petroleum), hydrotreated heavy)
- Class : 9
- Packing group : III
- Hazchem Code : ●3Z

Sea transport (IMDG/IMO)

- UN number : 3082
- Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (naphtha (petroleum), hydrotreated heavy)
- Class : 9
- Packing group : III
- Marine pollutant : Yes

Section: 15. REGULATORY INFORMATION

National regulatory information

- Standard for the Uniform Scheduling of Medicines and Poisons : Schedule 5

The components of this product are reported in the following inventories:

United States TSCA Inventory :

All substances listed as active on the TSCA inventory

Canadian Domestic Substances List (DSL) :

SAFETY DATA SHEET

CLEANSHOT STAINLESS STEEL POLISH

All components of this product are on the Canadian DSL.

Australia. Australian Industrial Chemicals Introduction Scheme (AICIS) :

On the inventory, or in compliance with the inventory

New Zealand Inventory of Chemicals (NZIoC) :

On the inventory, or in compliance with the inventory

Japan. ENCS - Existing and New Chemical Substances Inventory :

not determined

Korea. Korean Existing Chemicals Inventory (KECI) :

On the Korea Existing Chemicals Inventory.

Philippines Inventory of Chemicals and Chemical Substances (PICCS) :

On the inventory, or in compliance with the inventory

China Inventory of Existing Chemical Substances :

On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory :

On the inventory, or in compliance with the inventory

Section: 16. OTHER INFORMATION

Sources of key data used to compile the Safety Data Sheet

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

IARC: (International Agency for Research on Cancer)

US. National Toxicology Program (NTP) Report on Carcinogens

ECHA List of Publishable Substances Registered

EU HPVCs (High Production Volume Chemicals)

Issuing date	: 28.10.2025
Date of first issue	: 03.11.2015
Version	: 1.3
Prepared by	: Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.